



SKI-GD-70H

FRAMELESS GLASS 70 KG SLIDING DOOR SYSTEM DUAL SOFT CLOSE

SKI-GD-70H



Glass Door Weight	70kgs +/- panel
Glass Door Thickness	8-10mm in thickness,
Glass Width	675 mm Min 1200 mm Max
Height Adjustment	+/- 2 mm
Durability	100,000 cycles

Features

- Latest technology with an attractive minimalist design.
- The system is quick and easy to install.
- Domestic and commercial applications
- It integrates seamlessly into any design.
- Conceals all of its sliding components within upper track.
- Pleasing aesthetic appearance.

Installation possibilities



WALL MOUNT

CEILING MOUNT OPTION 1

CEILING MOUNT OPTION 2 (FIXED GLASS)



Section type

Dimensions in mm

Section type

Dimensions in mm

END WALL TRACK BRACKETS




Parts Set (Per Door) Necessary Parts

	Item Code	Description	Unit
a	SKI-GD-70H-2M	Frameless Glass 70Kg With Dual Soft Close One Door Parts I Upper Track : 2000 mm I Wall /Ceiling Mount I (Alumite Finish)	Set
b	SKI-GD-70HFG-2M	Frameless Glass 70Kg With Dual Soft Close One Door Parts I Upper Track : 2000 mm I Wall /Ceiling Mount I (Alumite Finish) I Fix Panel	Set
c	SKI-GD-70HFG-3M	Frameless Glass 70Kg With Dual Soft Close One Door Parts I Upper Track : 3000 mm I Wall /Ceiling Mount I (Alumite Finish) I Fix Panel	Set

	INDIVIDUAL ITEM CODE	Description
a	SKI-GD-70H-2M	
	SKI-GD-70-2M SSA	Upper Track Wall / Ceiling Mount 2000mm
	SKI-GD-70-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass
b	SKI-GD-70HFG-2M	
	SKI-GD-70-FP-2M SAA	Upper Track Wall / Ceiling Mount 2000mm
	SKI-GD-70-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass
c	SKI-GD-70HFG-3M	
	SKI-GD-70-FP-3M SAA	Upper Track Wall / Ceiling Mount 3000mm
	SKI-GD-70-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass
	SKI-GD-70-FP-EC-SAA	End Caps Set - For Fix panel type plastic

1	 ITEM CODE • SKI-GD-70-2M SAA LENGTH • 2000mm
2	 ITEM CODE • SKI-GD-70-FP-2M SAA • SKI-GD-70-FP-3M SAA LENGTH • 2000mm / 3000mm
3	 ITEM CODE • SKI-GD-70-DSC
4	 ITEM CODE • SKI-GD-FG-10-14-SAA

Optional Parts	
	ITEM CODE • SKI-GD-70-BT-3M-SAA LENGTH • 3000mm
	ITEM CODE • SKI-GD-70-EC-SSA
	ITEM CODE • SKI-GD-70-FP-EC-SAA
	ITEM CODE • SKI-GD-WTB

Upper Track		Necessary Parts		
Mounting	Length	Item Code	Dimensions	Description
WALL & CEILING MOUNT	2000 mm	SKI-GD-70-2M SSA	as above	● Material ● Finish Aluminium Alumite
WALL & CEILING MOUNT	2000 mm	SKI-GD-70-FP-2M SAA		● Material ● Finish Aluminium Alumite
CEILING MOUNT WITH ONE FIX GLASS	3000 mm	SKI-GD-70-FP-3M SAA		● Material ● Finish Aluminium Alumite



SKI-GD-110H


FRAMELESS GLASS 110 KG SLIDING DOOR SYSTEM DUAL SOFT CLOSE

SKI-GD-110H



Section type
Dimensions in mm

CEILING MOUNT



Glass Door Weight	110kgs +/- panel	
Glass Door Thickness	10-12 mm in thickness,	
Glass Width	725 mm Min/Single	1020 mm Max/Double
Height Adjustment	+/- 2 mm	
Durability	100,000 cycles	

■ Features

- Latest technology with an attractive minimalist design.
- The system is quick and easy to install.
- Domestic and commercial applications
- It integrates seamlessly into any design.
- Conceals all of its sliding components within upper track.
- Pleasing aesthetic appearance.

Installation possibilities




Section type

Dimensions in mm

CEILING MOUNT

FIXED GLASS




Parts Set (Per Door) Necessary Parts

	Item Code	Description	Unit
a	SKI-GD-110H-3M	Frameless Glass 70Kg With Dual Soft Close One Door Parts I Upper Track : 3000 mm I Wall /Ceiling Mount I (Alumite Finish)	Set
b	SKI-GD-110HFG-3M	Frameless Glass 70Kg With Dual Soft Close One Door Parts I Upper Track : 3000 mm I Wall /Ceiling Mount I (Alumite Finish) I Fix Panel	Set
c	SKI-GD-110FCFG-3M	Frameless Glass 70Kg With Dual Soft Close One Door Parts I Upper Track : 3000 mm I False/Ceiling Mount I (Alumite Finish) I Fix Panel	Set
d	SKI-GD-110FCFG-4M	Frameless Glass 70Kg With Dual Soft Close One Door Parts I Upper Track : 4000 mm I False/Ceiling Mount I (Alumite Finish) I Fix Panel	Set

	INDIVIDUAL ITEM CODE	Description
a	SKI-GD-110H-3M	
	SKI-GD-110-3M SAA	Upper Track Wall / Ceiling Mount 3000mm
	SKI-GD-110-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass
b	SKI-GD-110HFG-3M	
	SKI-GD-110-FP-3M SAA	Upper Track Wall / Ceiling Mount 3000mm
	SKI-GD-110-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass
c	SKI-GD-110FCFG-3M	
	SKI-GD-110-FP-3M SAA	Upper Track Wall / Ceiling Mount 3000mm
	SKI-GD-110-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass
d	SKI-GD-110FCFG-4M	
	SKI-GD-110-FC-FP-4M SAA	Upper Track Wall / Ceiling Mount 4000mm
	SKI-GD-110-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass

1	 ITEM CODE • SKI-GD-110-3M SAA LENGTH • 3000mm
2	 ITEM CODE • SKI-GD-110-FP-3M SAA LENGTH • 3000mm
3	 ITEM CODE • SKI-GD-110-FC-FP-3M SAA • SKI-GD-110-FC-FP-4M SAA LENGTH • 3000mm / 4000mm
4	 ITEM CODE • SKI-GD-110-DSC
5	 ITEM CODE • SKI-GD-FG-10-14-SAA

Optional Parts	
	ITEM CODE • SKI-GD-110-BT-3M-SAA LENGTH • 3000mm
	ITEM CODE • SKI-GD-110-EC-SAA
	ITEM CODE • SKI-GD-110-FP-EC-SAA
	ITEM CODE • PVC GASKET LENGTH • 1000mm
	ITEM CODE • PVC GASKET LENGTH • 1000mm

Upper Track		Necessary Parts		
Mounting	Length	Item Code	Dimensions	Description
WALL & CEILING	3000 mm	SKI-GD-110-3M SAA	as above	- Material Aluminium - Finish Alumite
WALL & CEILING WITH ONE FIX PANEL	3000 mm	SKI-GD-110-FP-3M SAA		- Material Aluminium - Finish Alumite
FALSE CEILING MOUNT WITH ONE FIX GLASS	3000 mm	SKI-GD-110-FC-FP-3M-SAA	as above	- Material Aluminium - Finish Alumite
FALSE CEILING MOUNT WITH ONE FIX GLASS	4000 mm	SKI-GD-110-FC-FP-4M-SAA		- Material Aluminium - Finish Alumite



SKI-GD-150HFG

FRAMELESS GLASS 150 KG SLIDING DOOR SYSTEM DUAL SOFT CLOSE

SKI-GD-150HFG



Glass Door Weight	150kgs +/- panel	
Glass Door Thickness	10-12-14 mm in thickness,	
Glass Width	785 mm Min/Single	1080 mm Max/Double
Height Adjustment	+/- 2 mm	
Durability	100,000 cycles	


Features

- Compact sliding solution
- Conceals mechanisms in the guide
- Reduces the space between the panel and the wall to a minimum.
- It is easy to install, practical, immediate and with a very attractive design.
- In addition, it is designed to support large-sized panels of glass
- Allowing large areas to be opened up with elegance and sophistication.

Installation possibilities




CEILING MOUNT



WALL MOUNT FIXED GLASS

OPTION




Parts Set (Per Door) Necessary Parts

	Item Code	Description	Unit
a	SKI-GD-150HFG-4M	Frameless Glass 150Kg With Dual Soft Close One Door Parts I Upper Track : 4000 mm I False /Ceiling Mount I With One Fix Panel I (Alumite Finish)	Set
b	SKI-GD-150FCFG-4M	Frameless Glass 150Kg With Dual Soft Close One Door Parts I Upper Track : 4000 mm I False /Ceiling Mount I With One Fix Panel I (Alumite Finish)	Set

	INDIVIDUAL ITEM CODE	Description
a	SKI-GD-150HFG-4M	
	SKI-GD-150FP-4M SAA	Upper Track Wall / Ceiling Mount 4000mm With Fix Panel
	SKI-GD-150-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass
	SKI-GD-110-FP-EC-SAA	End Caps Set - Plastic
b	SKI-GD-150FCFG-4M	
	SKI-GD-150-FCFP-4M SAA	Upper Track False / Ceiling Mount 4000mm With Fix Panel
	SKI-GD-150-DSC	Dual Soft Close 1 Door Parts Set
	SKI-GD-FG-10-14-SAA	Floor Guide for 10-14mm Glass
	SKI-GD-110-FP-EC-SAA	End Caps Set - For Fix panel type plastic

1		ITEM CODE • SKI-GD-150-FP-3M SAA LENGTH • 3000mm
2		ITEM CODE • SKI-GD-110-FC-FP-3M SAA • SKI-GD-110-FC-FP-4M SAA LENGTH • 3000mm / 4000mm
3		ITEM CODE • SKI-GD-150-DSC
4		ITEM CODE • SKI-GD-FG-10-14-SAA

Optional Parts	
	ITEM CODE • SKI-GD-110-BT-3M-SAA LENGTH • 3000mm
	ITEM CODE • SKI-GD-110-EC-SAA
	ITEM CODE • SKI-GD-110-FP-EC-SAA
	ITEM CODE • PVC GASKET LENGTH • 1000mm
	ITEM CODE • PVC GASKET LENGTH • 1000mm

Upper Track		Necessary Parts		
Mounting	Length	Item Code	Dimensions	Description
WALL & CEILING	4000 mm	SKI-GD-150-FP-4M-SAA	as above	● Material Aluminium ● Finish Alumite
FALSE CEILING	4000 mm	SKI-GD-150-FC-FP-4M-SAA	as above	● Material Aluminium ● Finish Alumite



SKI-GD-100S

FRAMELESS GLASS 110 KG SYNCHRO SLIDING DOOR SYSTEM - DUAL SOFT CLOSE

SKI-GD-110S




Glass Door Weight	110kgs (55 kg per panel)	
Glass Door Thickness	10-12 mm in thickness,	
Glass Width	736 mm Min/Single	1034 mm Max/Double
Height Adjustment	+/- 2 mm	
Durability	100,000 cycles	

■Features

- The system is quick and easy to install.
- Domestic and commercial applications
- It integrates seamlessly into any design.
- Conceals all of its sliding components within upper track.
- Pleasing aesthetic appearance.
- Opens and close 2 sheet simultaneously synchronizes on both sides
- Possibility of installing 2 sheet of 110kg

Assembly system



Parts Set (Per Door)		Necessary Parts	
	Item Code	Description	Unit
a	SKI-GD-110S-3M	Frameless Glass 110Kg synchro With Dual Soft Close Two Fix Glass Door Parts I Upper Track : 3000 mm I Wall /Ceiling Mount I (Alumite Finish)	Set
b	SKI-GD-110SFG-4M	Frameless Glass 110Kg synchro With Dual Soft Close & Two Fix Glass Door Parts I Upper Track : 4000 mm I Wall /Ceiling Mount I (Alumite Finish) I Fix Panel	Set
c	SKI-GD-110SFCFG-4M	Frameless Glass 110Kg synchro With Dual Soft Close & Two Fix Glass Door Parts I Upper Track : 4000 mm I False /Ceiling Mount I (Alumite Finish) I Fix Panel	Set

Technical drawing of a vertical rod assembly. The drawing shows a cross-section of the assembly. Key dimensions and labels include:

- Top diameter: $\varnothing 30$
- Top section height: 60
- Overall height: H
- Section A-A: A horizontal line indicating a cross-section.
- Section A-A height: A
- Section A-A diameter: 10-12
- Section A-A tolerance: ± 0.01
- Bottom section height: 10
- Bottom label: A=H-43mm

Technical drawing of a mechanical assembly, likely a valve or actuator, showing a cross-section. The drawing includes dimensions and labels:

- Dimensions:**
 - Top horizontal dimension: 90
 - Left vertical dimension: 10
 - Right vertical dimension: 11
 - Bottom vertical dimension: 10
 - Horizontal dimensions at the bottom: 90, 12, 10, 12
 - Horizontal dimension for the bottom section: 10
- Labels:**
 - A**: Points to the main vertical body.
 - B**: Points to the top section.
 - C**: Points to the bottom section.
 - D**: Points to the bottom flange.
 - E**: Points to the bottom flange.
 - F**: Points to the bottom flange.
 - G**: Points to the bottom flange.
 - H**: Points to the bottom flange.
 - I**: Points to the bottom flange.
 - J**: Points to the bottom flange.
 - K**: Points to the bottom flange.
 - L**: Points to the bottom flange.
 - M**: Points to the bottom flange.
 - N**: Points to the bottom flange.
 - O**: Points to the bottom flange.
 - P**: Points to the bottom flange.
 - Q**: Points to the bottom flange.
 - R**: Points to the bottom flange.
 - S**: Points to the bottom flange.
 - T**: Points to the bottom flange.
 - U**: Points to the bottom flange.
 - V**: Points to the bottom flange.
 - W**: Points to the bottom flange.
 - X**: Points to the bottom flange.
 - Y**: Points to the bottom flange.
 - Z**: Points to the bottom flange.
 - 004562**: Points to the bottom flange.
 - 004567**: Points to the bottom flange.
 - Thick**: Points to the bottom flange.
 - to be filled**: Points to the bottom flange.
- Notes:**
 - A=H-63mm**
 - F=H-70mm**

Optional Parts

Upper Track

Mounting	Length	Item Code	Dimensions	Description	
WALL & CEILING	3000 mm	SKI-GD-110-3M SAA	as above	● Material Aluminium	● Finish Alumite
WALL & CEILING	4000 mm	SKI-GD-110-FP-4M SAA		● Material Aluminium	● Finish Alumite
FALSE CEILING	4000 mm	SKI-GD-110-FC-FP-4M-SAA	as above	● Material Aluminium	● Finish Alumite



SKI-GD-110TFG

FRAMELESS GLASS TELESCOPIC SYNCHRO SLIDING DOOR SYSTEM - DUAL SOFT CLOSE

SKI-GD-110TFG



Glass Door Weight	110kgs per panel	
Glass Door Thickness	10-12 mm in thickness,	
Glass Width	970 mm Min/Single 1600 mm Max/Double	Double Retainer min 600 Max if 1600 mm
Height Adjustment	+/- 2 mm	
Durability	100,000 cycles	

■Features


- The system is quick and easy to install.
- Domestic and commercial applications
- It integrates seamlessly into any design.
- Opening and closing is developed smoothly dragging 2 door with the single moment
- Possibility of installing 2 sheet of 110kg per sheet collecting them on the single side of installation

Installation Possibilities



CEILING MOUNT

FIXED GLASS OPTION



Parts Set (Per Door) Necessary Parts

	Item Code	Description	Unit
a	SKI-GD-110TFG-4M	Frameless Glass 110Kg Telescopic With Dual Soft Close One Fix Glass Door Parts I Upper Track : 4000 mm I Wall /Ceiling Mount I (Alumite Finish)	Set

INDIVIDUAL ITEM CODE	Description
SKI-GD-110TFG-4M	
SKI-GD-HRP-110-10-4M-SAA	Upper track for 12mm glass with one fix panel
SKI-GD-HRP-110-DSC	Telescopic fitting dual soft close door parts set
SKI-GD-FG-HRP-SAA	Floor guide for 10-14mm glass

1	 ITEM CODE • SKI-GD-HRP-110-10-4M-SAA LENGTH • 4000mm
2	 ITEM CODE • SKI-GD-HRP-110-DSC
3	 ITEM CODE • SKI-GD-FG-10-14-SAA

Optional Parts	
	ITEM CODE • SKI-GD-110-BT-3M-SAA LENGTH • 3000mm
	ITEM CODE • SKI-GD-110-EC-SAA
	ITEM CODE • SKI-GD-110-FP-EC-SAA
	ITEM CODE • PVC GASKET LENGTH • 1000mm
	ITEM CODE • PVC GASKET LENGTH • 1000mm

Upper Track		Necessary Parts		
Mounting	Length	Item Code	Dimensions	Description
WALL & CEILING	4000 mm	SKI-GD-HRP-110-10-4M SAA	as above	● Material Aluminium ● Finish Alumite

GLASS

HANLDES FOR GLASS SLIDING DOORS




SIM B93

- Small handle for sliding doors.

Material	Finish
304 Stainless Steel	Satin

Item Code	Item Name	A	Weight	Box	Carton
	SIM B93				



SIM 5B01

- Sliding door ring
Ø 40mm.

Material	Finish
304 Stainless Steel	Satin

Item Code	Item Name	A	Weight	Box	Carton
	SIM 5B01				



SIM 5B05

- Small handle for sliding door.

Item Code	Item Name	A	Weight	Box	Carton
	SIM 5B05				



SIM 5BN0

- Neuscorre handle.



Item Code	Item Name	A	Weight	Box	Carton
	SIM 5BN0				

HANLDES FOR GLASS SLIDING DOORS

SIDSI-4252-C-12

- Sliding Door Handle

STAINLESS
304
STEEL




Finish: Satin
12.7
2 (1/2'') 2

Item No
1 SIDSI-4252-C-12

SIDSI-5250-12

- Sliding Door Handle

STAINLESS
304
STEEL





Finish: Satin

Item No
3 SIDSI-5250-12

SIDSI-4252-12

- Sliding Door Handle

STAINLESS
304
STEEL





Finish: Satin
12.7
2 (1/2'') 2

Item No
2 SIDSI-4252-12

SIDSI-3250-12

- Sliding Door Handle

STAINLESS
304
STEEL



Finish: Satin

Item No
4 SIDSI-3250-12


HANDLES FOR GLASS SLIDING DOORS



BRASS

Finish: Satin Chrome (SC)
Chrome (CR)

DG-BT2




Item No.	D	L	Glass Thickness (mm)
1 DG-BT2/30-CR	32 (1-1/4")	23.5	8~12 (5/16"~1/2")
2 DG-BT2/30-SC			
3 DG-BT2/40-CR	40 (1-9/16")	34.5	
4 DG-BT2/40-SC			

BRASS

Finish: Satin Chrome (SC)
Chrome (CR)

DG-BT




Item No.	D	D1	L	Glass Thickness (mm)
5 DG-BT30-CR	32 (1-1/4")	23.5	26.5	8~12 (5/16"~1/2")
6 DG-BT30-SC				
7 DG-BT40-CR	40 (1-9/16")	26	34.5	
8 DG-BT40-SC				

STAINLESS 304 STEEL

Finish: Satin (S)

DSI-126D




Item No.	L	D	Glass Thickness (mm)
9 DSI-126D	35	30	8~12 (5/16"~1/2")

BRASS

STEEL

Finish: Chrome (CR)

GT-40CR



Item No.	D	H	Glass Thickness (mm)
10 GT-40CR	39.5	16	8~10 (5/16"~3/8")



Sugatsune Kogyo India Pvt. Ltd.

sales@sugatsune.in | <https://global.sugatsune.com/in/en/>

MUMBAI DISPLAY STUDIO

No. G-002 & B-02, Ground Floor,
Kanakia Atrium-2, Chakala,
Next to Courtyard Marriott Hotel,
Andheri Kurla Road, Andheri East,
Mumbai - 400093, Maharashtra,
☎ : 8419976934
9867299597
✉ 8419988316

DELHI DISPLAY STUDIO

FIEE Complex, A36 Okhla Phase 2,
New Delhi - 110020
Tel : 011 - 45093636
☎ : 8419900923
9867299597
✉ 8419988316

CHENNAI DISPLAY STUDIO

23/2, Old No:-39/2, 2nd Floor,
Cenetoph Road, 1st Lane,
Teynampet, Chennai-600018,
Tamil Nadu.
☎ : 8419976934
9867299597
✉ 8419988316

PUNE DISPLAY STUDIO

3rd Floor, Beside Laxmi Narayan Chivada,
Near katariya high school,
Mukund Nagar, Pune - 411037,
Maharashtra.
☎ : 8419976934
9867299597
✉ 8419988316



we are available on